






















For Large-Venue DLP™ Projector Models

Lens type	Model number	Product image	F-number	Focal length	Throw ratio for image aspect ratio 17:9	Auto lens identification ¹	Stepping motor ²	Group
Zoom lens	ET-D3QW200		2.5	17.5-20.7 mm	● 0.548-0.650:1	Yes	Yes	
Zoom lens	ET-D3QW300		2.5	35.2-53.7 mm	●● 1.11-1.70:1	Yes	Yes	
Zoom lens	ET-D3QS400		2.5	45.3-65.6 mm	●● 1.43-2.09:1	Yes	Yes	
Zoom lens	ET-D3QT500		2.5	61.4-105.2 mm	●● 2.00-3.41:1	Yes	Yes	A
Zoom lens	ET-D3QT600		2.5	85.0-121.6 mm	●● 2.69-3.88:1	Yes	Yes	
Zoom lens	ET-D3QT700		2.5	122.8-172.3 mm	●● 3.89-5.47:1	Yes	Yes	
Zoom lens	ET-D3QT800		2.5	156.5-243.1 mm	●● 4.97-7.76:1	Yes	Yes	
Lens type	Model number	Product image	F-number	Focal length	Throw ratio for image aspect ratio 16:10	Auto lens identification ¹	Stepping motor ²	Group ³
Fixed-focal-length lens	ET-D75LE95		2.5	7.5 mm	● 0.364:1 ● 0.436:1	—	—	B C
	ET-D3LEU101		2.5	8.0 mm	● 0.370:1 ● 0.447:1	Yes	—	B C
Zoom lens	ET-D3LEW201		2.5	13.8-18.1 mm	●● 0.645-0.850:1 ●● 0.779-1.02:1	Yes	Yes	B C
	ET-D3LEW50		2.5	14.8 mm	● 0.694:1 ● 0.838:1	Yes	—	B C
Zoom lens	ET-D3LEW300		2.5	16.4-19.6 mm	●● 0.770-0.933:1 ●● 0.924-1.12:1	Yes	Yes	B C
Limited stock Zoom lens	ET-D3LEW60		2.5	19.6-23.5 mm	●● 0.924-1.10:1 ●● 1.12-1.32:1	Yes	Yes	B C
	ET-D3LEW600		2.5	19.8-27.5 mm	●● 0.924-1.28:1 ●● 1.12-1.55:1	Yes	Yes	B C
Zoom lens	ET-D3LEW10		2.5	26.6-36.4 mm	●● 1.26-1.72:1 ●● 1.52-2.07:1	Yes	Yes	B C
Zoom lens	ET-D3LES20		2.5	35.0-50.9 mm	●● 1.67-2.41:1 ●● 2.00-2.90:1	Yes	Yes	B C
	NEW Zoom lens	ET-D3LES250		2.5	35.0-50.9 mm	●● 1.67-2.41:1 ●● 2.00-2.90:1	Yes	Yes
Zoom lens	ET-D3LET30		2.5	50.4-98.0 mm	●● 2.40-4.66:1 ●● 2.88-5.61:1	Yes	Yes	B C
	ET-D3LET40		2.5	96.6-154.9 mm	●● 4.61-7.41:1 ●● 5.54-8.90:1	Yes	Yes	B C
Zoom lens	ET-D3LET80		2.5-2.7	154.1-288.8 mm	●● 7.34-13.8:1	Yes	Yes	B
					●● 8.83-16.6:1			

1 2 3 4 5 6 7 8 9 10

Lens type	Model number	Product image	F-number	Focal length	Maximum angle of view	Group
Fisheye lens	ET-D3LEF70		2.5	9.0 mm	91.6° (Max Lens shift diagonal)	B,C

Compatible DLP™ projector
Group A: PT-RQ50K
Group B: PT-RQ45K/RZ44K, PT-RQ35K2/RZ34K2, PT-RQ35K/RZ34K, PT-HTQ20 ⁴
Group C: PT-RQ25K/RZ24K/RQ18K/RZ17K/RZ14K

1: Calibration is required each time the lens is mounted. 2: Stepping motor for zoom in addition to focus. 3: Projector may require the latest firmware update. 4: The PT-HTQ20 will be available from Q4 of CY2026. Availability varies depending on the country. MEVIX is a trademark or a registered trademark of Panasonic Projector & Display Corporation in Japan and other countries.

Lens type		Model number	Product image	F-number	Focal length	Throw ratio for image aspect ratio 16:10	Group
Available from CY2026 Q4 Fixed-focal-length lens		ET-C1U090		2.1 (TBD)	5.4 mm (TBD)	● 0.308:1 (TBD)	A
Zoom lens		ET-C1U100		2.1	5.4-5.8 mm	● 0.308-0.330:1	
Fixed-focal-length lens		ET-C1U200		2.0	6.48 mm	● 0.380:1	
Zoom lens		ET-C1W300		1.9-2.3	9.9-12.3 mm	● 0.550-0.690:1	
Zoom lens		ET-C1W400		1.9-2.4	12.1-16.9 mm	● 0.680-0.950:1	
Zoom lens		ET-C1W500		1.8-2.3	16.7-24.6 mm	● 0.940-1.39:1	
Zoom lens		ET-C1S600		1.8-2.3	23.9-37.2 mm	● 1.36-2.10:1	
Zoom lens		ET-C1T700		1.9-2.4	36.1-59.6 mm	● 2.07-3.38:1	
Zoom lens		ET-C1T800		1.9-2.5	58.3-115.6 mm	● 3.30-6.60:1	
Available from CY2026 Q3 Zoom lens		ET-C1T900		1.9-2.4	114.3-194.2 mm	● 6.50-11.1:1	
Lens type		Model number	Product image	F-number	Focal length	Throw ratio for image aspect ratio 16:9 ¹	Group
Zoom lens		ET-DLE020G		2.0	4.1-4.4 mm	● 0.279-0.297:1	B
Fixed-focal-length lens		ET-DLE035		2.0	5.3 mm	● 0.378:1	
Zoom lens		ET-DLE060		1.9-2.3	9.2-12.1 mm	● 0.597-0.797:1	
Zoom lens		ET-DLE085		1.9-2.2	11.8-14.6 mm	● 0.779-0.972:1	
Zoom lens		ET-DLE105		1.9-2.4	14.7-19.7 mm	● 0.973-1.32:1	
Zoom lens		ET-DLE150		1.8-2.4	19.4-27.9 mm	● 1.29-1.88:1	
Zoom lens		ET-DLE170 ²		1.7-1.9	25.6-35.7 mm	● 1.71-2.40:1	
Zoom lens		ET-DLE250		1.8-2.4	33.9-53.2 mm	● 2.26-3.60:1	
Zoom lens		ET-DLE350		1.8-2.2	52.8-79.5 mm	● 3.56-5.42:1	
Zoom lens		ET-DLE450		1.8-2.4	79.5-125.2 mm	● 5.33-8.53:1	

Lens type		Model number	Product image	F-number	Focal length	Throw ratio for image aspect ratio 16:10	Group
Zoom lens		ET-EMU100		1.9	7.2-7.7 mm	● 0.330-0.353:1	C
Zoom lens		ET-EMW200		1.8-2.1	10.8-12.5 mm	● 0.480-0.550:1	
Zoom lens		ET-EMW300		1.8-2.2	12.3-15.4 mm	● 0.550-0.690:1	
Zoom lens		ET-EMW400		1.8-2.2	15.3-21.1 mm	● 0.690-0.950:1	
Zoom lens		ET-EMW500		1.8-2.4	21.1-30.0 mm	● 0.950-1.36:1	
Zoom lens		ET-EMS650		1.8-2.2	29.9-46.3 mm	● 1.35-2.10:1	
Zoom lens		ET-EMT750		1.8-2.5	46.0-90.5 mm	● 2.10-4.14:1	
Zoom lens		ET-EMT850		1.9-2.4	90.3-162.6 mm	● 4.14-7.40:1	
Zoom lens		ET-ELU20		2.0	5.4-5.8 mm	● 0.330-0.353:1	D
Fixed-focal-length lens		ET-ELW21		2.0	13.1 mm	● 0.764:1	
Zoom lens		ET-ELW22		2.0-2.4	13.3-16.6 mm	● 0.786-0.983:1	
Zoom lens		ET-ELS20		1.7-2.3	26.9-45.4 mm	● 1.61-2.76:1	
Zoom lens		ET-ELT22		1.8-2.3	45.6-73.8 mm	● 2.72-4.48:1	
Zoom lens		ET-ELT23		1.8-2.3	74.8-118.2 mm	● 4.44-7.12:1	

Compatible DLP™ projector

Group A : PT-REQ15/REQ12/REQ10/REQ80, PT-REZ15/REZ12/REZ10/REZ80
Group B : PT-RQ7/RQ6, PT-RZ7/RZ6

Compatible LCD projector

Group C : PT-MZ20K/MZ17K/MZ14K/MZ11K
Group D : PT-MZ882/MZ782/MZ682

1: When using PT-RQ7/RQ6. When using other projectors, the throw ratio differs. Please check the projector's spec sheet for more information. 2: Equivalent of supplied lens. Availability varies depending on the country.